



UNITED STATES PATENT AND TRADEMARK OFFICE

eeh

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

09/886,998

06/25/2001

Mark Farries

2500.360

7033

7590

05/03/2005

Hall, Priddy, Myers & Vande Sande
Suite 200
10220 River Road
Potomac, MD 20854

EXAMINER

WANG, LEMING

ART UNIT

PAPER NUMBER

2633

DATE MAILED: 05/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/886,998

Applicant(s)

FARRIES, MARK

Examiner

Leming Wang

Art Unit

2633

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 June 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date: _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-12, and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Ooi et al.* (US Patent No: 6,118,564) in view of *Lin et al.* (US Patent No: 6,728,203)

Regarding claims 1 and 15, *Ooi et al.* teach an optical demultiplexer for demultiplexing an optical signal having a plurality of channels at a predetermined channel spacing comprising: demultiplexing means (107A, Fig.7), time domain demultiplexing means (For example, 30-1, Fig.7) for receiving one of the plurality of wavelength streams and for dividing the one of the plurality of wavelength streams into a plurality of time domain demultiplexed wavelength streams (Col.25, lines 31-35);

Ooi et al. differ from the claimed invention in that *Ooi et al.* do not teach demultiplexer having frequency spacing larger than the predetermined channel spacing for receiving the optical signal and for dividing the optical signals into a plurality of wavelength streams broader than the predetermined channel spacing and optical

filtering means for demultiplexing one of the plurality of time domain streams into a single channel.

However, *Lin et al.* from the same field of endeavor teach a scalable optical demultiplexing apparatus with the frequency spacing larger than the predetermined channel spacing (Free spectral ranges FSR, 2FSR, .. are larger than the space between $\lambda_1, \lambda_2, \dots, \lambda_n$, Fig.7) for receiving the optical signal and for dividing the optical signal by wavelength into a plurality of wavelength streams ($\lambda_1, \lambda_1 + \text{FSR}, \lambda_1 + 2\text{FSR}, \dots$, Fig.7, Col.7, lines 18-19) broader than the predetermined channel spacing (The space between two neighboring wavelengths $\lambda_1, \lambda_2, \dots, \lambda_n$, Fig.7) and optical filtering means (320, Fig.7) for demultiplexing one of the plurality of time domain demultiplexed wavelength streams into a single channel ($\lambda_1, \lambda_2, \dots, \lambda_n, \lambda'_1, \lambda'_2, \dots, \lambda'_n$, Fig.7). Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention to incorporate a demultiplexer apparatus, such as the one of *Lin et al.*, to replace the LIGHT DEMULTIPLEXING & BRANCHING in the system of *Ooi et al.* in order to obtain output signal with larger frequency spacing than that of input signals.

Regarding claim 2, *Lin et al.* further teach a splitting means (375, Fig.7) for splitting the optical signal into at least two sub-signals (Signal streams sent to 310 and 311, respectively, Fig.7) before launching one of the sub-signals into the demultiplexing means (310 and 311, Fig.7).

Regarding claim 3, *Ooi et al.* further teach a clock recovery means (21, Fig.12) for obtaining a clock signal from the one of the plurality of wavelength streams (Signals a input at 42-1, Fig.12) and for providing the clock signal to the time domain demultiplexing means (Clock signal b is sent to OPTICAL SWITCH 42-1, Fig.12) for dividing the one of the plurality of wavelength streams into a plurality of time domain demultiplexed wavelength streams in dependence upon the clock signal (Signal a is divided into I or j based on the clock signal b, Fig.13).

Regarding claim 4, *Ooi et al.* further teach the a plurality of time domain demultiplexing means (30-1, 30-2, ..., Fig.7), and the plurality of time domain demultiplexing means for receiving the plurality of wavelength streams (Signals input at 107A, Fig.7; col.2, lines 51-53) and for dividing the plurality of wavelength streams into a plurality of time domain demultiplexed wavelength streams (f_0 , Fig.7 and fig.11), and *Lin et al.* further teach a plurality of optical filtering means (320, Fig.7), each of said plurality of optical filtering means for demultiplexing each of the plurality of time domain demultiplexed wavelength streams into a single channel ($\lambda_1, \lambda_2, \lambda_3, \dots$, Fig.7).

Regarding claim 5, *Lin et al.* further teach a frequency spacing of the demultiplexing means is one of an integer multiple and a non-integer multiple of the predetermined channel spacing ($\lambda_1, \lambda_1 + \text{FSR}, \lambda_1 + 2\text{FSR}, \dots$, Fig.7, Note that FSR is free spectral range, see Col.7, lines 18-19).

Regarding claim 6, *Lin et al.* further teach the integer multiple is two ($\lambda_1 + 2\text{FSR}$, .., Fig.7).

Regarding claim 7, *Lin et al.* further teach the demultiplexing means demultiplexes the optical signal according to a standardized International Telecommunications (Col.7, lines 51-55).

Regarding claim 8, *Lin et al.* further teach the predetermined channel spacing is a frequency spacing according to a standardized International Telecommunications Union (ITU) frequency grid (Col.7, lines 51-55).

Regarding claim 9, *Ooi et al.* further teach the time domain demultiplexing means is one of a Lithium Niobate (LiNbO₃) modulator (Col.5, line 23) and a semiconductor optical amplifier switch.

Regarding claim 10, *Lin et al.* further teach the optical filtering means is a band-pass filter (320, Fig.7; Col.4, line 11).

Regarding claim 11, *Ooi et al.* further teach the optical signal has a return to zero (RZ) modulation format (Col.2, line 31).

Regarding claim 12, *Ooi et al.* further teach a sum of bit-rates of the plurality of time domain demultiplexed wavelength streams is equal to a bit-rate of the one of the plurality of wavelength streams (For example, in Fig.23, bit rate of signal a is the sum of the bit rate of two demultiplexed signals A and B, Col.53, lines 29-36).

Regarding claim 16, *Ooi et al.* further teach the step of identifying a timing signal (TO IDENTIFICATION ELEMENT, Fig.7) from the wavelength streams for performing an optical time domain demultiplexing (30-1, Fig.7) for at least one of the wavelength streams in dependence upon the timing signal (For example, the signal stream f1 is dependent on the clock signal generated at 21, Fig.7).

Regarding claim 17, *Lin et al.* further teach the step of initially splitting the high bit-rate signal into at least two streams (The two streams input at DEMUX #1 and DEMUX #2, respectively Fig.7) and providing each stream into a separate coarse wavelength demultiplexer (DEMUX #1 and DEMUX #2, Fig.7) of different but overlapping wavelength ranges (The first stream $\lambda_1, \lambda_1 + \text{FSR}, \lambda_1 + 2\text{FSR}, \lambda_2, \lambda_2 + \text{FSR}, \lambda_2 + 2\text{FSR}, \dots$, and the second stream ($\lambda'_1, \lambda'_1 + \text{FSR}, \lambda'_1 + 2\text{FSR}, \lambda'_2, \lambda'_2 + \text{FSR}, \lambda'_2 + 2\text{FSR}, \dots$ Figs.7 and 8. Note that in Fig.8, the spectra after DEMUX #1 is different but overlapped with the spectra after DEMUX #2).

3. Claim 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Ooi et al.* (US Patent No: 6,118,564) in view of *Lin et al.* (US Patent No: 6,728,203) and further in view of *Pan et al.* (US Patent No: 5,652,814)

Regarding claim 13, *Ooi et al.* and *Lin et al.* teach that an optical demultiplexer for demultiplexing a multiplexed N channel optical signal comprising: splitting means for splitting the multiplexed N channel optical signal into a plurality of multiplexed N channel optical sub-signals (Splitter has M output ports, Fig.7).

The system of *Ooi et al.* modified by *Lin et al.* differs from the claimed invention in that *Ooi et al.* and *Lin et al.* do not teach first demultiplexing means for coarse wavelength demultiplexing the plurality of multiplexed N channel optical sub-signals into M sub-signals, second demultiplexing means for time demultiplexing the M sub-signals into R sub-signals, and third demultiplexing means for wavelength demultiplexing the R sub-signals into N single channels.

However *Pan et al.* from the same field of endeavor teach wavelength demultiplexing apparatus (Fig.25) with first demultiplexing means (271, Fig.25) for coarse demultiplexing N channel ($\lambda_1, \lambda_2, \lambda_3, \lambda_4, \lambda_5, \lambda_6, \lambda_7, \lambda_8$, Fig.25) into M sub-signals (Sub-signals $\lambda_1, \lambda_2, \lambda_3, \lambda_4$, and $\lambda_5, \lambda_6, \lambda_7, \lambda_8$, Fig.25) and second demultiplexing means (272, and 273, Fig.25) to demultiplex M signals (Sub-signals $\lambda_1, \lambda_2, \lambda_3, \lambda_4$, and $\lambda_5, \lambda_6, \lambda_7, \lambda_8$, Fig.25) into R sub-signals (λ_1 and λ_2 , and λ_3 and λ_4 , λ_5 and λ_6 , λ_7 and λ_8 , Fig.25) and third demultiplexing means (274, 275, 276 and 277, Fig.25) to demultiplex the R signals (λ_1 and λ_2 , and λ_3 and λ_4 , λ_5 and λ_6 , λ_7 and λ_8 , Fig.25) to single channel ($\lambda_1, \lambda_2, \lambda_3, \lambda_4$,

$\lambda_5, \lambda_6, \lambda_7, \lambda_8$, Fig.25). Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention to incorporate a demultiplexer apparatus, such as the one of *Pan et al.*, to replace the demultiplexing means (350 Fig.7 of *Lin et al.*) in the system of *Ooi et al.* modified by *Lin et al.* in order to provide a demultiplexing means for advanced fiberoptic systems of higher performance, low cost, and superior reliability (Col.2, lines 23-26).

Regarding claim 14, *Ooi et al.* further teach a clock recovery means (21, Fig.12) for extracting a clock signal from the M sub-signals for demultiplexing the M sub-signals into the R sub-signals (Signals a input at 42-1, Fig.12) in dependence upon the clock signal (Signal a is divided into I or j based on the clock signal b, Fig.13).

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

1. *Khalfallah et al.* (US 2003/0002102) is about a device for frequency demultiplexing.

2. *Qian et al.* (US 2002/0003643) is about a device for multi-channel slicing.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leming Wang whose telephone number is 571 272 3030. The examiner can normally be reached on 8:30AM - 5:00PM.

Art Unit: 2633

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on 571 272 3112. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

lw


JASON CHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600